Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	44	((request with (routing adj table)) same (host or client)) and "370"/$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 14:57
L5	30	((request with (routing adj table)) same (client)) and "370"/$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 14:52
L6	17	(request same (routing adj table) same updat$6 same bandwidth)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 15:01
L7	18	(request with (routing adj table) same bandwidth)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 15:01
S1	2	"08147231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 07:22
S2	137	(broadcast same respon$6) and (node with (search$5 or discovery or find$6 or locat$6 or identif$6)) and 370/254,255,392,401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:44
S3	11	(broadcast same respon$6) and (node with (search$5 or discovery or find$6 or locat$6 or identif$6)) and RIP and 370/254,255,392, 401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/27 13:47
S4	152	RIP and 370/254,255,392,401. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/04 14:16
S5	94	((((broadcast$6 or multicast$5 or flood$6) with (node or device or address) with (search$5 or discover$6 or find$6 or locat$6 or identif$6)) with (bridge or subnetwork$5 or domain or subsystem$5 or router)) and "370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 07:24
S6	34	(subnetwork$5 or subnet or segment or (sub adj network$5)) and (discovery same broadcast same (gateway or router or bridge or brouter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 11:57

S7	193	(subnetwork$5 or subnet or (sub adj network$5)) and (discovery or search$6) and broadcast and 370/254,255,256,257,258,392, 401,402,403,404,405.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/03 15:01
S8	175	((node with (search$5 or discovery or find$6 or locat$6 or identif$6)) same broadcast) and (subnetwork$5 or subnet or (sub adj network$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:06
S9	83	"4914571".URPN.	USPAT	OR	ON	2003/06/03 15:13
S10	2	"4677588".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 14:45
S11	32	"5224205".URPN.	USPAT	OR	ON	2003/06/04 10:28
S12	104	RIP same broadcast same rout$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/04 14:16
S13	282	SNMP and 370/254,255,392,401. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/04 14:17
S14	126	(SNMP same rout$6) and 370/254, 255,392,401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/04 14:17
S15	20	((hop adj count) same broadcast) and 370/254,255,392,401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:45
S16	384	((broadcast$6) with (search$5 with discover$6 or find$6 or locat$6 or identif$6)) and domain and (routing) and "370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 08:34
S17	5	(((broadcast$6) with (search$5 with discover$6 or find$6 or locat$6 or identif$6)) same domain same routing) and "370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 07:40

S18	2	"4827411".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 07:49
S19	150	(routing with update with request) and "370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:07
S20	73	(broadcast$6 with search$5) and (router) and "370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 08:59
S21	74	"5426637".URPN.	USPAT	OR	ON	2004/07/29 08:39
S22	11	"543599"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 08:52
S23	95	(((node or resource) with (search$5 or discovery or find$6 or locat$6 or identif$6)) same broadcast).ab. and (subnetwork$5 or subnet or (sub adj network$5) or domain or network) and (rout$7) and ("370"/$.ccls. or "709"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 09:03
S24	51	"5511208".URPN.	USPAT	OR	ON	2004/07/29 09:07
S25	199	(hardware same software same flexible) and "370"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 12:02
S26	109	RIP same (router with address) same (network with (address or number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 12:03
S27	121	((((search$5 or discovery or find$6 or locat$6 or identif$6) with broadcast) same client) and (subnetwork$5 or subnet or (sub adj network$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:36
S30	212	((search$5 or discovery or locat$6) same broadcast same client) and (subnetwork$5 or subnet or (sub adj network$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:02

S31	70	((direct$6 with broadcast) same client) and (subnetwork$5 or subnet or (sub adj network$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 11:03
S32	18	("5687320").URPN.	USPAT	OR	ON	2005/01/05 11:11
S33	9	("5687320" | "5862404" | "5901286" | "5928335" | "5968138" | "6067558" | "6085246" | "6101528" | "6101555").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 12:21
S34	12	(client same (routing adj table) same router) and ((routing adj table) same updat$6) and RIP	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 12:33
S35	67	(client same (routing adj table)) and RIP	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/05 14:31